1 of 1

Flying Monkey - Lifted Series 3ml Vape - Mixed Berry - WL0358

KCA Laboratories

232 North Plaza Drive

Nicholasville, KY 40356

Sample ID: SA-230328-19380 Batch: WL0358 Type: Finished Products Matrix: Concentrate - Vape Unit Mass (g):

Received: 03/29/2023 Completed: 04/12/2023 Client White Label Leaf LLC 6205 Johns Rd Tampa, FL 33634 USA Lic. #: 2022-R-1958514



Summary Test

Cannabinoids

Date Tested 04/12/2023

Status Tested

ND Total ∆9-THC

0.796 % (6aR,9R,10aR)-HHC

1.17 % **Total Cannabinoids**

Not Tested Moisture Content

Not Tested Foreign Matter

Internal Standard Normalization

Yes

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
CBC	0.0095	0.0284	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBG	0.0057	0.0172	ND	ND
CBL	0.0112	0.0335	ND	ND
CBN	0.0056	0.0169	ND	ND
CBT	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	ND	ND
Δ9-THC	0.0076	0.0227	ND	ND
Δ9-THCV	0.0069	0.0206	ND	ND
(6aR,9R,10aR)-HHC	0.0067	0.02	0.796	7.96
(6aR,9S,10aR)-HHC	0.0067	0.02	0.376	3.76
Total Δ9-THC			ND	ND
Total CBD			ND	ND
Total			1.17	11.7

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO

Date: 04/12/2023

Tested By: Scott Caudill Senior Scientist Date: 04/12/2023



Accreditation #108651





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories KCA Laboratories and provide measurement uncertainty upon request.